

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14793	707/3 or 707/2 or 707/4	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 14:25
L2	23071	707/3 or 707/2 or 707/4 or 707/10	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 14:26
L3	123	2 and (OLAP near2 server)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 14:26
L4	42	2 and (OLAP near2 server) and (database near2 query)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 14:26
L5	1	2 and (OLAP near2 server) and (database near2 query) and (query near2 extension)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 14:26
L6	57	2 and (query near2 extension)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 14:26
L7	0	2 and (query near2 extension).clm.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 14:27
L8	0	2 and (query near2 extension).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 14:27
L9	17	(query near2 extension).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 14:27

EAST Search History

L10	1	(query near2 extension).clm. and (OLAP near2 server).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 14:27
L11	844	2 and ((cube or dimension\$2) with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 14:32
L12	7	2 and ((cube or dimension\$2) with database) and (query near2 extension)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 14:33
L13	3	2 and ((cube or dimension\$2) with database) and (query near2 extension) and (OLAP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 15:20
L14	145	(probability same categories).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 15:21
L15	18	(probability same categories).clm. and dimensions	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 15:21
L16	7	(probability same categories).clm. and dimensions and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 15:59
L17	800	(multidimensional near2 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 16:00

EAST Search History

L18	178	(multidimensional near2 database) and (OLAP near2 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 16:01
L19	0	(multidimensional near2 database) and (OLAP near2 server) and (query near2 exten\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 16:38
L20	0	(OLAP near2 server) same (query with delete\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 16:39
L21	5	(OLAP near2 server) and (query with delete\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 16:39
L22	22	(OLAP near2 server) and (query with (delete\$3 or remov\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 16:39
L23	0	22 and (duplicate with records)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 16:40
L24	2	22 and (query near2 extensions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 16:40
L25	996371	dimension\$2 and (query same exclude\$ or remove\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 16:50

EAST Search History

L26	22	dimension\$2 and (query same exclude\$ or remove\$3) and (query near2 extension)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 16:50
L27	13	dimension\$2 and (query same exclude\$ or remove\$3) and (query near2 extension) and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 16:51
L28	8	dimension\$2 and (query same exclude\$ or remove\$3) and (query near2 extension) and "707"/\$.ccls.	US-PGPUB	OR	OFF	2007/10/12 16:51
L29	2	dimension\$2.clm. and (query same exclude\$ or remove\$3) and (query near2 extension) and "707"/\$.ccls.	US-PGPUB	OR	OFF	2007/10/12 16:51
L30	1	dimension\$2.clm. and (query same exclude\$ or remove\$3) and (query near2 extension).clm. and "707"/\$.ccls.	US-PGPUB	OR	OFF	2007/10/12 16:51

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

query extensions and OLAP server and multidimensional database



[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [Details](#)

Web Results 1 - 10 of about **86,500** for **query extensions and OLAP server and multidimensional databsae**.

Did you mean: query extensions and OLAP server and multidimensional **database**

Multidimensional database query extension systems and methods ...

This effectively provides an **extension** for **multidimensional query** languages. MOLAP

(**Multidimensional OLAP**) utilizes a true **multidimensional database** to ...

www.freepatentsonline.com/20060020933.html - 63k - [Cached](#) - [Similar pages](#)

Extensions for adding and removing calculated members in a ...

[0010] According to the AddCalculatedMembers **extension**, the **OLAP server** processes a **database query** by determining a hierarchical context for each member of ...

www.freepatentsonline.com/20040059724.html - 53k - [Cached](#) - [Similar pages](#)

DBAzone.com - A Look Into The Future Of Microsoft And Oracle OLAP

Oracle has recently released version 10g of its **database**, which now comes with an embedded **multidimensional OLAP server** known as the **OLAP Option**. ...

www.dbazine.com/datawarehouse/dw-articles/rittman4 - 43k - [Cached](#) - [Similar pages](#)

OLAP query generation engine - US Patent 6651055

Relational emulation of a **multi-dimensional database** index ... statement using the structured **query** format that corresponds to the determined **OLAP server**. ...

www.patentstorm.us/patents/6651055.html - 17k - [Cached](#) - [Similar pages](#)

[PDF] SUGI 25: SAS/MDDBr Server: Expanding Open Access to Your OLAP Data

File Format: PDF/Adobe Acrobat - [View as HTML](#)

multidimensional database server enables information technology Microsoft defined the OLE DB for **OLAP extension** to handle. **multidimensional data**. ...

www2.sas.com/proceedings/sugi25/25/et/25p144.pdf - [Similar pages](#)

SAS 9.1 Data Providers ADO/OLE DB Cookbook Glossary

A typical ADO consumer might submit a **query** to a data provider and then display ... SAS

OLAP Server, a **server** that provides access to **multidimensional data**. ...

support.sas.com/rnd/eai/oledb/gloss.htm - 16k - [Cached](#) - [Similar pages](#)

Getting to Know OLAP and MDX

OLE DB MD is the **multidimensional database extension** to Microsoft's new OLE DB ...

Most Microsoft **OLAP query** tools are visually oriented and generate MDX ...

www.sqlmag.com/Article/ArticleID/5112/sql_server_5112.html - [Similar pages](#)

[PDF] Aggregate-based Query Processing in a Parallel Data Warehouse Server

The vast majority of **query** optimizers in **database sys-** tems use some cost-based metrics to determine the **extension** of the **multidimensional OLAP server** ...

ieeexplore.ieee.org/iel5/6448/17217/00795142.pdf - [Similar pages](#)

[PPT] Database Systems: Design, Implementation, and Management

File Format: Microsoft Powerpoint - [View as HTML](#)

OLAP Server with **Multidimensional Data Store Arrangement**. Figure 13.8 ... **OLAP** functionality; Uses relational DB **query** tools; **Extensions** to RDBMS ...

my.fit.edu/~jbarlow/BUS4509/fall2003/slides/13Chapter.ppt - [Similar pages](#)

SQL Server 2000 Data Warehouse and OLAP Components

OLE DB 2.5 also includes **multidimensional extensions** that let OLE DB ... The SQL

Server 2000 database engine is used primarily in the OLTP systems, ...

technet.microsoft.com/library/aa933153(SQL.80).aspx - 15k - [Cached](#) - [Similar pages](#)

Did you mean to search for: query extensions and OLAP server and multidimensional database

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

directive query extension and query extension

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include search terms by default. [View search terms by default details](#)

Web Books Results 1 - 10 of about 11,800 for **directive query extension and query extensions and OLAP**

Extensions for adding and removing calculated members in a ...

[0010] According to the AddCalculatedMembers **extension**, the **OLAP server** processes a **database query** by determining a hierarchical context for each member of ...
www.freepatentsonline.com/20040059724.html - 53k - [Cached](#) - [Similar pages](#)

Internet Systems - January 1997 - A New Face For OLAP

The first uses a **multidimensional database server** to store data. plug-ins for the browser that let a user **query** the **OLAP server** engine interactively. ...
www.dbmsmag.com/9701i08.html - 32k - [Cached](#) - [Similar pages](#)

SQL Server 2000: The Complete Reference - Google Books Result

by Jeffrey R. Shapiro - 2001 - Computers - 931 pages
On the face of it, a **query** is a question or an enquiry into the data in the ... To extend the SQL language to suite proprietary **extensions** in SQL **Server**, ...
books.google.com/books?isbn=0072125888...

[PDF] LNCS 4081 - Analysing Multi-dimensional Data Across Autonomous ...

database languages like MS SQL and Schema SQL provide **extensions** to standard and **Query Language for OLAP**. In Zhou, X., ed.: Australasian **Database Confer-** ...
www.springerlink.com/index/n6358732315j143w.pdf - [Similar pages](#)

Scalability Enhancements in SQL Server 7.0

The SQL **Server query** processor uses hash joins to satisfy a **query** when no address as much as 64GB of memory via the Physical Address **Extension** (PAE). ...
www.windowsitpro.com/Windows/Article/ArticleID/7276/7276.html - [Similar pages](#)

[PDF] COPYRIGHTED MATERIAL

File Format: PDF/Adobe Acrobat - [View as HTML](#)

query expressions, 11. DataAdapter object, data processing **extensions**,. 417. **database** owner role, 458 ... encryption key backup, Report **Server database**, 466 ...
media.wiley.com/product_data/excerpt/87/07645687/0764568787-2.pdf - [Similar pages](#)

1 Introduction to the Oracle Database

Oracle **OLAP** provides the **query** performance and calculation capability ... As a result, Oracle provides the benefits of a **multidimensional database** along ...
download-uk.oracle.com/docs/cd/B19306_01/server.102/b14220/intro.htm - 153k - [Cached](#) - [Similar pages](#)

1 Introduction to the Oracle Database

Oracle **OLAP** provides the **query** performance and calculation capability previously found only PL/SQL is Oracle's procedural language **extension** to SQL. ...
oracleon1.oracle.com/docs/cd/B14117_01/server.101/b10743/intro.htm - 166k - [Cached](#) - [Similar pages](#)

1 Introduction to the Oracle Database

Oracle **OLAP** provides the **query** performance and calculation capability ... Oracle **OLAP** is not a **multidimensional database** using bridges to move data from the ...
download-west.oracle.com/docs/cd/B14117_01/server.101/b10743/intro.htm - 166k -

[Cached](#) - [Similar pages](#)

IBM Help System

Installing sample data for DB2 **OLAP Server** V8.1 and Hyperion Essbase V6.5

Example 1: Directly access the SQLDataBlox and resets its **query** ...

publib.boulder.ibm.com/infocenter/ablxhelp/v8r4m0/index.jsp - 295k -

[Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)